Government of India
Ministry of Culture
National Monuments Authority
24, Tilak Marg, New Delhi

MINUTES OF THE 281st MEETING OF NMA

Venue – Conference room of NMA

Time & Date – 25th September, 2020 at 11am

******

The meeting was attended by the following:

1. Shri Tarun Vijay, Chairman, NMA.
2. Prof. (Dr.) Ashvini Agarwal, Whole Time Member, NMA. (through video Conference).
3. Prof. (Dr.) Ajay Khare, Whole Time Member, NMA (through video Conference).
4. Smt. Sanjukta Mudgal, Joint Secretary, MoC and Member Secretary (I/C), NMA.

Agenda no. 01

The Minutes of 279th meeting were confirmed.

Agenda no. 02

Consideration of NOC applications

Online Case

Case no. 1

(Shri Jinka Guru Siva, H.No.1/65, Gandikota(V),Jammalamadugu (M), YSR Kadapa (Dist), Andhra Pradesh-516434.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground floor with the total height of 5.09 mtrs (including mumty, parapet, water storage tank etc.) at Plot Survey No.85-2P1, 85/2-P2 with floor area Ground Floor = 1589.50 sqm.

Public Project

Case no. 1

(The Executive Engineer, Public Works Department, Daman, O/o. The Executive Engineer, Public Works Department, Works Division-I, Moti Daman, UT Administration of DNH & DD)

After perusal of the application, it was decided that as the proposed construction of Beautification & Extension of Moti Daman Fort front Development, Development of

Children Memorial Garden, Jetty Garden & Amphitheatre falls in the prohibited area of the monument, the applicant should enter into a MoU with the Archaeological Survey of India to carry out the work further. However, it may be ensured that there is no construction as defined under section 2 (dc) of AMASR Act.

Case no. 2

(M/s Kamnath Mundranlaya Pvt. Ltd., A/2, Manali Park, Near HP Petrol Pump, Opp. Ahmedabad International School, Satyagrah Chavani Road, Bodakdev Road, Ahmedabad-380054)

After perusal of the application, it was decided that as the proposed construction falls in the prohibited area of the monument, the applicant should enter into a MoU with the Archaeological Survey of India to carry out the work further. However, it may be ensured that there is no construction as defined under section 2 (dc) of AMASR Act.

Case no. 3

(Shri Gopal K. Tandel, C/o. M/s Hotel Miramar, Devka Beach, Daman)

After perusal of the application, it was decided that as the proposed Repair and renovation of old existing govt. cottage of GF & erection of temporary structure for shed (fabricated shed) & construction of toilet block falls in the prohibited area of the monument, only Repair and renovation is permitted with no vertical and horizontal extension. However, it may be ensured that there is no construction as defined under section 2 (dc) of AMASR Act.

Case no. 4

(The Executive Engineer (Ele) BESCOM, Davanagere)

After perusal of the application, it was decided that as the proposed construction is in Prohibited Area only Repair and renovation is permitted with no vertical and horizontal extension. The applicant should enter into a MoU with the Archaeological Survey of India to carry out the work further. However, it may be ensured that there is no construction as defined under section 2 (dc) of AMASR Act.

Case no. 5

(The District Collector and Chairman, District Rural Development Agency, Kanyakumari District, The District Collector and Chairman, District Rural Development Agency, Kanyakumari District- 629 001.)

After perusal of the application, it was decided to defer the case and ask the Competent Authority to submit the specific recommendation on this proposed work proposal.

Reconsideration cases

Case no. 01

(Smt. Premila Pattidar W/o Shri Satish Pattidar, Mu. Post- Arthuna, Tehsil - Gadi, Dist- Banswada)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 4.0 mtr (inclusive all)

Fresh Case

Case no. 1

(Smt. Bhumika P. Tandel, House No. 7-407/D/F-2(102), Royal Gems-II, Moti Daman)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 10.5 mtr (inclusive all)

Case no. 2

(Shri Manishbhai Jayantilal Gokani and others, Near Ramdhun, B/h. Lohana Mahajan Vadi, Dwarka-361335, Dist. Devbhumi Dwarka, Gujarat)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 15 mtr (inclusive all)

Case no. 3

(Shri Mohammadyunus Gulammustapha Shaikh (Self and POAH of Badrunisha Gulammohamad and Others), 538-539 Purba wad, Kot Ni Rang, Astodia, Ahmedabad-380001)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Hollow/GF+4 with the total height of 18.00 m (including mumty, parapet, water storage tank etc.) at C.S.No. 753, 754, Sheet No. 84, jamalpur-I, Ahmedabad, Gujarat; with floor area of GF=FF=SF=TF=FF=100.20 sqm, Stair Cabin =23.88 sqm, OHWT=6.90 sqm. The applicant should follow the norms of Ahmadabad Municipal Corporation while constructing the building.

Case no. 4

(Smt. Hansaben Vipinchandra Trivedi, Shri Mahendrakumar Shantilal Trivedi and Shri Vijaykumar Shantilal Trivedi, C/o. Dholariya Design (Jagdish Bhikhabhai Patel) C/17, 2nd Floor, Padmavati Flat, Nr. Narannagar Bus Stop, Above Mukesh Bhaji Pav, Naroda, Ahmedabad-382330, gujarat.)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 22.80 mtr (inclusive all)

Case no.5

(Shri Mohammad Usman G. Shaikh, Sidiq Ahmed G. Shaikh, Mohd. Yusuf G. Shaikh, Mohammad Umar G. Shaikh, C/o. Usmanbhai Andawala, 101- Sidiqi Flats, Opp. Machhipur Dargah, Jamalpur Chakla, Jamalpur, Ahmedabad-380001, gujarat)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 10.0 mtr (inclusive all)

Case no. 6

(Shri Gautam Bhatia, A-29, Gulmohar Park, New Delhi)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of **Basement+Stilt+GF+3 floors** with the total height of **18** mtr (including mumty, parapet, water storage tank etc.) at **A-29, Gulmohar Park, New Delhi**; with floor area of **Basement = 332.50 sqm with depth= 3.45 mtrs, Stilt=GF=332.50 sqm, FF=SF=TF= 264.77 sqm**.

Case no. 7

(Sri. Sridhar A.G ,Senior Project Manager, Thenpandiyan LPG Import Terminal PVT ltd, R/O No.30/1, Yoga Nilaya, Nagarbhavi 2nd Stage, 4th Block, Behind SBI Banglore North, Malagala, Nagarbhavi, Banglore-560091)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Auto LPG Dispensing station at S.No. 408/2, Ramnagara Road, Opposite to Kanan Colony, Mahalbagayat Village, Vijayapura-586101;

A	b	C
- - Depth=2.70 mtr	GF 3.30mtr	5.50 mtr

The applicant should follow the guidelines of Disaster Management while constructing the building.

Case no. 8

(Smt. Kabera Begum @ Nusrath Begum, W/O Mohd Sultan, H.no. 7-4-5, Old-7-4-3/1, Rawehal Galli, Behind Multani Pasha Darga, Bidar District-585401)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for re-construction of Cellar+GF+2 with the total height of 11.74 m (including mumty, parapet, water storage tank etc.) at CMC No.8-9-285/A1, Plot No.2, Sy,No.48/A/1, Gullar Haveli, Devi Colony, Bidar District; with floor area of Cellar=102.5 sqm, GF=102.5 sqm, FF=SF=75.59 sqm.

Case no. 9

(Sri. Shahananawaz Chattark, Shaikh Colony, Plot No. 1485A/1B/99, Near Hakim Chowk, Vijayapura District.)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 7.6 mtr (inclusive all)

Case no. 10

(Smt. Shakuntala Shivand Lachyan & Kum. Priyanka D/o Shivand Lachyan, Near Railway Station Ward no-12, Railway Station RPF, Vijayapur District)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.35 mtr (including mumty, parapet, water storage tank etc.) at Plot No. 56, Sy. No 153/A1/A, KJP No. 153D Mahal Bagayat, Vijayapur; with floor area of GF=54.94 Sqm.

Case no. 11

(Sri Shrisail Ramappa Bakali and Sri. Ramappa Devindrappa Katagur, At Post Vajjar Hanuman Nagar, Near Apolo Dhabha, Hudco Colony, Vijayapur Taluk and District-586109)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.60 mtr (including mumty, parapet, water storage tank etc.) at Sy. No 303/3. Plot No. 72. Mahal Bagayat, Vijayapur; with floor area of GF= FF=33.75 Sqm.

Case no. 12

(Sri. Shankar Kalabasappa Kumbar, 673/11C, Basavanagar, 1st cross, Bailhongal-591102)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 5.10 m (including mumty, parapet, water storage tank etc.) at CTS No-4066/8 (TMC No-673/3/4066/8), Bholshetty Chall Bailhongal, Belgavi District; with floor area GF=121.94 Sqm.

Case no. 13

(Smt. Jayamma W/o Ajjappa Airani, Kote Road, Dabana Gundi, Rattihalli post & Taluk, Haveri District-581116)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.55 m (including mumty, parapet, water storage tank etc.) at Property No: 1949D, Serial No:2461, Ward No:1, Daban Ganadi Road, Rattihalli, Rattihalli Taluk, Haveri District; with floor area GF=44.53 Sqm.

Case no. 14

(Sri. Nandabasappa Gurappa Kotyal, Vidyanagar, Near Athani Road, Vijayapur District-586102)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 Floor with the total height of 7.80 m (including mumty, parapet, water storage tank etc.) at SY No.660B, Plot No.61A, Mahalbagayat, Vijayapur District-586102; with floor area GF=68.60 Sqm, FF=68.60 Sqm.

Case no. 15

(Smt. Channavva Ningappa Hanchinal, Sri. Shambu Ningappa Hanchinal & Sri. Basavaraj Ningappa Hanchinal, Dandapur Oni, Naragund, Narangund Taluk, Gadag District)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.55 mtrs (including mumty, parapet, water storage tank etc.) at CTS No. 356/1A, Dandapur Road, Nargund, Gadag District; with floor area of GF=15.12 Sqm.

Case no. 16

(Sri. Suryanarayana Shetty M, Sri Sangam Store, Temple Road, Harihar, Davangere District-577601)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 7.6 mtr (inclusive all)

Case no. 17

(Sri M.S Bhimananda, Sri Sangam Store, Temple Road, Harihar, Davangere District-577601)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 7.6 mtr (inclusive all)

Case no. 18

(Sri. Girish Bhat, S/o K Sadanand Bhat, Door No.273, Amba Madhav Salmar, Karkala Kasaba, Udupi District-574104)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 with the total height of 7.31 mtrs (including mumty, parapet, water storage tank etc.) at S.No. 198/26, Karkala Kasaba Village, Karkala Taluk; with floor area of GF=97.95 Sqm, Sitout=6.41 sqm & Staircase=8.36 sqm, FF=97.95 Sqm, Balcony=12.08 sqm.

Case no. 19

(Smt. G. Shubha W/o B Jitendranatha, Main Road, 1st Ward, chittawadigi post, Hospete Taluk, Bellary District-583211.)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 7.6 mtr (inclusive all)

Case no. 20

(Smt. Sangeeta Maligouda Patil, Rajaji Nagar, Near R T O office, Vijayapur District-586101)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 7.6 mtr (inclusive all)

Case no. 21

(Smt. Renuka, W/o G.V. Suresh, H.No. 47, 7th Ward Near VSSN Society Ananthashayannagudi, Hospet Taluk, Bellary District-383201)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 with the total height of 7.67 mtrs (including mumty, parapet, water storage tank etc.) at Plot No. 33, Asst No. 961, Survey No. 29/A2 & 29/B2B, 7th Ward, Shiva Shathi Nagar, Anantashayanagudi, Hosapete; with floor area of GF=FF=123.25 sqm.

Case no. 22

(Sri. V Veeresh, Ward No. 30, Allipura post, Bellary Taluk, Bellary District-583104)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 7.6 mtr (inclusive all)

Case no. 23

(Sri. Venkatesh S/o Peekappa Naik, C/o Nahar Jewellers, Main Bazar, Hosapete Taluk, Bellari District-583201)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 with the total height of 7.67 mtrs (including mumty, parapet, water storage tank etc.) at Plot No. 54, Asst No. 1063, 8th Ward, Amrit Shakthi nagar, Ahnathasheyana gudi Area, Hosapete; with floor area of GF=FF=82.45sqm.

Case no. 24

(Sri. Asif Ali Shafeeq Ahmed Almel, Kamankhan Bazar Road, Near Abubkar Masjid, Nagarbaudi Garden, Vijayapur Taluk & District)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of G+1 with the total height of 7.35 mtrs (including mumty, parapet, water storage tank etc.) at Sy. No. 304/1, Plot No. 153, Kanakdas Badawane, Vijayapur; with floor area of GF=FF=35.00 sqm.

Case no. 25

(Sri. G. Naveen Kumar, Q. No. 08/16, V.V.Nagar, Behing Hanuman Temple, JSW Town Ship, Toranagallu Post, Sandur Taluk, Bellary Distruct-583123)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 with the total height of 7.67 mtrs (including mumty, parapet, water storage tank etc.) at Plot No. 34, Asst No. 34, Survey No. 77/B1, Soujanja Estate, Malappanagudi Grama, Hosapete; with floor area of GF=FF=119.74 sqm.

Case no. 26

(Sri. Valmiki Ravi S/o Pennaiah, C/o Nahar Jewellers, Main Bazar, Hosapete Taluk, Bellari District-583201)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.67 mtrs (including mumty, parapet, water storage tank etc.) at Plot No. 26, Survey No. 13, Assessment No. 1035, 8th Ward, Amrit Shakthi nagar, Anantasyanagudi, Hosapet; with floor area of GF=FF=84.00 sqm.

Case no. 27

(Sri. Basavaraj R. Roogi, Padmavati Colony, Near Ladies Hostel, Ashram Road, Vijayapur District-586103.)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 7.6 mtr (inclusive all)

Case no. 28

(Smt. Syeda Fathima Zohara, D/o Syed Fazalur Rehman, J M Road, Vijayapur District)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.50 mtrs (including mumty, parapet, water storage tank etc.) at Sy. No. 153/D, Plot No. 219, Mahal Bagayat, Vijayapur; with floor area of GF= 70.00 sqm.

Case no. 29

(Sri. Bhimaraya Dharmaray Patil, Plot No-106, Ward No.21, Near Rambapur Exchange Office, Kanakadas Badavane, Vijayapur district-586109)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.50 mtrs (including mumty, parapet, water storage tank etc.) at Sy.No.303/1, Plot No.106. Vijayapur; with floor area of GF=25.60 sqm.

Case no. 30

(Sri. Imtiyaz Gulabsab Teggi, Vidya Nagar, Vijayapur District-586104)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF with the total height of 4.85 mtrs (including mumty, parapet, water storage tank etc.) at Sy. No.660B, Plot No.86, Mahalbagayat, Vijayapura; with floor area of GF=54.30 sqm.

Case no. 31

(Sri. Rajeeva S/o Kalappa Guddewadi, # 178, "SRI KARUN VARIDHI", Kanakadas Badawane, Vijayapur District-586109)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 7.6 mtr (inclusive all)

Case no. 32

(Sri. Madhu Naryan kulkarni & Smt. Nanda Narayan Kulkarni C/o S R Joshi, Tajaboudi Road, Gobolemala, Ayodhya Nagar, Vijayapur District-586101.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 6.55 mtrs (including mumty, parapet, water storage tank etc.) at Sy. No. 1292B, Plot No. 27/H1, Mahal Bagayat, Vijayapur; with floor area of Ground Floor=54.10 sqm.

Case no. 33

(The President/Secretary, Jamiya Masjid, Masjid Road, Madhugiri Town, Tumkur District-572132)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 with the total height of 7.20 mtrs (including mumty, parapet, water storage tank etc.) at K No. 650/609, Darga Road, Madhugiri Town, Madhugiri Taluk; with following floor areas.

GF+1	GF+1	GF+1
GF=499.79 Sqm FF=499.79 Sqm	GF=499.79 Sqm FF=499.79 Sqm	GF=254.61 Sqm FF=254.61 Sqm
-	-	-
7.20 mtr	7.20 mtr	7.20 mtr
-	-	-

Case no. 34

(Smt. Lalita Basavaraj Arkasali, Rajapooth Galli, Hangal, Haveri District-581104.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Ground Floor with the total height of 4.97 mtrs (including mumty, parapet, water storage tank etc.) at TMC No. 1804/4A, Hangal, Hangal Taluk, Haveri District; with floor area of GF= 32.43 sqm.

Case no. 35

(Smt. Rabani Mohammed Ali Bagawan, Bableshwar Naka, Mujawar Mohalla, Near Shankarling Mantap, Vijayapur Taluk & District-586101.)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 7.6 mtr (inclusive all)

Case no. 36

(Sri. U. Madhu Sudhan Reddy, Site No-179/A, Nethaji Nagar, K.H.B Colony, Infantry Road, Opposite Vasavi School, Bellary-583104)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of Basement+GF+2 Floor with the total height of 10.95 mtrs (including mumty, parapet, water storage tank etc.) at W. No-31, SY.No-519/2, ASSMNT No-41580/45A, K.H.B Colony and Nethaji Nagar, Near OPD, Bellary; with floor area of Basement floor= 92.25 sqm (Parking) with depth 1.20 mtr, GF=FF=SF= 92.25 sqm.

Case no. 37

(Sri. Ranganatha, S/o S.C. Vasu Siddeshwara Street , Belur Taluk, Hassan District-573115)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.61 mtrs (including mumty, parapet, water storage tank etc.) at KH.No.4638/3463, Siddeshwara Street, Belur Purasabhe, Belur Taluk, Hassan District; with floor area of GF=FF=61.60 sqm.

Case no. 38

(Sri. M Narayana Swamy, S/o Muniyappa, Door no-D6, Koushthuba Nilaya, Gulmar Avenue, Balathur, Kadugodi, Bangalore-560067)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 7.6 mtr (inclusive all)

Case no. 39

(Smt. S. Jubeda Begum, w/o B. Syed Husssain, R/o 36, Gotul, Soujanya Estates, Malapanagudi, Hampi post, Hosapete Taluk, Ballary District-583239)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 7.6 mtr (inclusive all)

Case no. 40

(Sri. S.D Kalburgi, Jalanagar MIG-23, Vijayapur District)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.5 mtrs (including mumty, parapet, water storage tank etc.) at Sy. No 740/B, Plot No-33, Mahalbagayat, Vijayapur (Bijapura); with floor area of GF=FF=65.45 sqm.

Case no. 41

(Sri. Mohammed Kahasim, Kote Tumminakatte Road, Rattihalli Post, Rattihalli Taluk, Haveri District-581116.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for Re-construction of GF+1 floor with the total height of 7.65 mtrs (including mumty, parapet, water storage tank etc.) at Property No. 432, Serial No. 2957, Ward No.2, Shikkalgar Oni, Ratthihalli, Haveri District.; with Built up area of GF=FF=156.92 sqm.

Case no. 42

(Shri R. Sakthivel, Present And Permanent- D. No. 23/2, N.G.G.O. Colony, D.D. Road, Srivilliputtur, Virudhunagar District- 626 125.)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 7.6 mtr (inclusive all)

Case no. 43

(Dr. Rajesh Seth, Ajeet Seth & Others, Plot No-4, Capper Road, Lalbagh, Lucknow Pin-226001)

After perusal of the application, it was decided to defer the case and ask the applicant to submit the revised plan with the total height of the building restricted to 18 mtr (inclusive all)

SCN Case

Case No. 1

(Shri G. Magesh, Present And Permanent- D. No. 11, Theradi Street, Karunakara Cheri, Selavakkam Village, Muduranthagam Taluk, Kanchipuram District..)

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI Chennai circle.

Case No. 2

(Sri K.G. Ramesh S/o Late K.A Govindaraja Setty, R,R, Road, Opp of Old J.S.S College, Kusuma Naliya, Nanjangud-571301.)

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

Case No. 3

(Sri. Krishna Eshwarappa Handral, Jadageri Onil, Annigeri, Sharwad District.)

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

Case No. 4

(Sri. Shrishail S/o Annarao Patil, H. No. 10-934/18 & 19, Mahalaxmi Layout. Opp Fire Station, Brahmpur, Kalaburgi District-585102)

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

Case No. 5

(Smt Uma Salma, 13 Branch, Basthi Road, Bhatkal, Uttar Kannada District-581320.)

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

Case No. 6

(Smt. Mumtaz begum w/o Mohammed Alik Kadakol Sri. Shoeb Adil S/o Mohammed Alik Kadakol & Sri. Shoukath Adil S/o Mohammed Alik Kadakol, H. No. 6-1-1737, ward no. 19, behind corporation bank, Sharana basaveshwara colony Gangawati road, Dt 584128.)

After perusal of the application, it was decided to **reject** the case as the applicant had already constructed the building without prior permission and Show Cause Notice had also issued by SA, ASI.

Additional Agenda 1

The following two draft Heritage Bye laws were approved by the Authority and it was decided to publish the same on the websites of NMA and ASI for inviting suggestions/objections, if any from the public at large. It was also decided that these Heritage Bye laws may be send for consultation with respective Heritage bodies.

1. Fazilnagar Ka kot, Fazilnagar
2. Cemeteries, Mauza Kydganj

Additional Agenda 2

Case No. 1

(Sh. Rakesh Handa s/o Sh. Amar Nath Handa, Plot Situated at backside Corporation House, Joshi Colony, Mall Road, Amritsar, Pin No. 143001.)

After perusal of the application, it was decided to **recommend** grant of NOC in this case for construction of GF+1 floor with the total height of 7.00 mtrs (including mumty,

parapet, water storage tank etc.) at Plot Situated at backside Corporation House, Joshi Colony, Mall Road, Amritsar, Pin No. 143001; with floor area of GF= FF= 48.49 sqm.

Case no. 422/1

(Mr. Harsh Azad, S-89, Punchsheel Park , New Delhi-110017)

After perusal of the application, it was decided to reject the case since the proposed height of the building is more than 18 mtrs (inclusive all).